

Refine Search

Search Results -

Terms	Documents
L58 and @pd > 20061017	0

Database:

- US Pre-Grant Publication Full-Text Database
- US Patents Full-Text Database
- US OCR Full-Text Database
- EPO Abstracts Database
- JPO Abstracts Database
- Derwent World Patents Index
- IBM Technical Disclosure Bulletins

Search:

Refine Search

Recall Text
Clear
Interrupt

Search History

DATE: Tuesday, October 17, 2006 [Purge Queries](#) [Printable Copy](#) [Create Case](#)

<u>Set</u>	<u>Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set</u>
<u>Name</u>	<u>result set</u>			<u>Name</u>
side by side				
L59		L58 and @pd > 20061017	0	L59
L58		L57 and L46	65	L58
L57		(user same interface) with (web adj browser) and (access\$ near3 network) and (internet or intranet with common same language)	3478	L57
L56		(user same interface) with (web adj browser) and (access\$ near3 network)	3539	L56
L55		(user same interface) with (web adj browser)	7596	L55
L54		((updat\$ same "rich-content repository" or database) and (modif\$ same map\$ same file)) and (publish\$ same content or file) and (syndicat\$ same repository)	2	L54
L53		((updat\$ same "rich-content repository" or database) and (modif\$ same map\$ same file)) and (publish\$ same content or file)	1758	L53
L52		(updat\$ same "rich-content repository" or database) and (modif\$ same map\$ same file)	1758	L52
		((creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or		

<u>L51</u>	database) and schema and (import\$ same content) and (GUI or "graphical user interface") and (view\$ same class)) and (stor\$ same information) and (monitor\$ near3 maintenance same repository or database) and (transmit\$ same "content file")) (((creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content) and (GUI or "graphical user interface") and (view\$ same class)) and (stor\$ same information) and (monitor\$ near3 maintenance same repository or database) and (transmit\$ same "content file" near3 network)) (((creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content) and (GUI or "graphical user interface") and (view\$ same class)) and (stor\$ same information) and (monitor\$ near3 maintenance same repository or database)) (((creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content) and (GUI or "graphical user interface") and (view\$ same class)) and (stor\$ same information) and (monitor\$ near3 maintenance same repository or database)) (((creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content) and (GUI or "graphical user interface") and (view\$ same class)) and (stor\$ same information)).clm. (((creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content) and (GUI or "graphical user interface") and (view\$ same class)) and (stor\$ same information)).ab.	6	<u>L51</u>
<u>L50</u>		0	<u>L50</u>
<u>L49</u>		195	<u>L49</u>
<u>L48</u>		2	<u>L48</u>
<u>L47</u>		0	<u>L47</u>
<u>L46</u>		196	<u>L46</u>
<u>L45</u>		256	<u>L45</u>
<u>L44</u>	"rich-content repository" and (creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content) and (GUI or "graphical user interface")and (search\$ or quer\$)	2	<u>L44</u>
<u>L43</u>	"rich-content repository" and (creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content) and (GUI or "graphical user interface")	3	<u>L43</u>
<u>L42</u>	(creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content) and (GUI or "graphical user interface")	731	<u>L42</u>
<u>L41</u>	705/.ccls. and ((creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content))	209	<u>L41</u>
<u>L40</u>	709/.ccls. and ((creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content))	267	<u>L40</u>
<u>L39</u>	707/.ccls. and ((creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content))	570	<u>L39</u>
<u>L38</u>	(creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content)	1504	<u>L38</u>
<u>L37</u>	(creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (publish\$ sam4 content)	0	<u>L37</u>
<u>L36</u>	(creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema	11810	<u>L36</u>
<u>L35</u>	(creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or	201740	<u>L35</u>

database)		
<u>L34</u> ("content-rich repository" or "rich-content repository") and (content same file)	3	<u>L34</u>
<u>L33</u> ("content-rich repository" or "rich-content repository") and (database adj, structure near3 "delta analysis")	0	<u>L33</u>
<u>L32</u> ("content-rich repository" or "rich-content repository") and (database adj, structure)	3	<u>L32</u>
<u>L31</u> ("content-rich repository" or "rich-content repository") and schema	3	<u>L31</u>
<u>L30</u> "content-rich repository" or "rich-content repository"	4	<u>L30</u>
<u>L29</u> L28 and L17	65	<u>L29</u>
<u>L28</u> (user same interface) with (web adj browser) and (access\$ near3 network) and (internet or intranet with common same language)	3478	<u>L28</u>
<u>L27</u> (user same interface) with (web adj browser) and (access\$ near3 network)	3539	<u>L27</u>
<u>L26</u> (user same interface) with (web adj browser)	7596	<u>L26</u>
<u>L25</u> ((updat\$ same "rich-content repository" or database) and (modif\$ same map\$ same file)) and (publish\$ same content or file) and (syndicat\$ same repository)	2	<u>L25</u>
<u>L24</u> ((updat\$ same "rich-content repository" or database) and (modif\$ same map\$ same file)) and (publish\$ same content or file)	1758	<u>L24</u>
<u>L23</u> (updat\$ same "rich-content repository" or database) and (modif\$ same map\$ same file)	1758	<u>L23</u>
<u>L22</u> (((creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content) and (GUI or "graphical user interface") and (view\$ same class)) and (stor\$ same information) and (monitor\$ near3 maintenance same repository or database) and (transmit\$ same "content file"))	6	<u>L22</u>
<u>L21</u> (((creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content) and (GUI or "graphical user interface") and (view\$ same class)) and (stor\$ same information) and (monitor\$ near3 maintenance same repository or database) and (transmit\$ same "content file" near3 network))	0	<u>L21</u>
<u>L20</u> (((creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content) and (GUI or "graphical user interface") and (view\$ same class)) and (stor\$ same information) and (monitor\$ near3 maintenance same repository or database))	195	<u>L20</u>
<u>L19</u> (((creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content) and (GUI or "graphical user interface") and (view\$ same class)) and (stor\$ same information)).clm.	2	<u>L19</u>
<u>L18</u> (((creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content) and (GUI or "graphical user interface") and (view\$ same class)) and (stor\$ same information)).ab.	0	<u>L18</u>
<u>L17</u> ((creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content) and (GUI or "graphical user interface") and (view\$ same class)) and (stor\$ same information)	196	<u>L17</u>
<u>L16</u> (creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content) and (GUI or "graphical user interface") and (view\$ same class)	256	<u>L16</u>
"rich-content repository" and (creat\$ or generat\$ same map\$ same (file\$ or		

<u>L15</u>	content)) and (repository or database) and schema and (import\$ same content) and (GUI or "graphical user interface")and (search\$ or quer\$) "rich-content repository" and (creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content) and (GUI or "graphical user interface")	2	<u>L15</u>
<u>L14</u>	(creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content) and (GUI or "graphical user interface")	3	<u>L14</u>
<u>L13</u>	database) and schema and (import\$ same content) and (GUI or "graphical user interface")	731	<u>L13</u>
<u>L12</u>	705/.ccls. and ((creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content))	209	<u>L12</u>
<u>L11</u>	709/.ccls. and ((creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content))	267	<u>L11</u>
<u>L10</u>	707/.ccls. and ((creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content))	570	<u>L10</u>
<u>L9</u>	(creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (import\$ same content)	1504	<u>L9</u>
<u>L8</u>	(creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema and (publish\$ sam4 content)	0	<u>L8</u>
<u>L7</u>	(creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database) and schema	11810	<u>L7</u>
<u>L6</u>	(creat\$ or generat\$ same map\$ same (file\$ or content)) and (repository or database)	201740	<u>L6</u>
<u>L5</u>	("content-rich repository" or "rich-content repository") and (content same file)	3	<u>L5</u>
<u>L4</u>	("content-rich repository" or "rich-content repository") and (database adj, structure near3 "delta analysis")	0	<u>L4</u>
<u>L3</u>	("content-rich repository" or "rich-content repository") and (database adj, structure)	3	<u>L3</u>
<u>L2</u>	("content-rich repository" or "rich-content repository") and schema	3	<u>L2</u>
<u>L1</u>	"content-rich repository" or "rich-content repository"	4	<u>L1</u>

END OF SEARCH HISTORY